

CRANE DECKS

CRANE DECKS Loading Platforms for Construction projects Australia Wide

If you need a materials handling solution for your multi storey and high rise projects, look no further than CRANE DECKS. No matter if you are constructing a brand new high rise or renovating an existing structure, CRANE DECKS can help.

With a Safe Working Limit of 5000kg at 4.5m and with one of the largest outboards on the market at 2500kg at 5.25m, our innovative design provides the efficient accessibility your project needs, while never compromising on safety.

1300 DECKS

CRANE DECK 2200

CRANE DECK 2800

CRANE DECK 3200

TRANSPORTATION

NEW PRODUCT SKYDECK





About CRANE DECKS Australia

Established by market leaders in the Tower Crane, Man & Materials Hoist and Construction industries, CRANE DECKS Australia are a Sydney based company that have expanded nationwide. Designed and manufactured in Australia and with distributors in New South Wales, Queensland, Victoria, South Australia and soon to include Western Australia and New Zealand, CRANE DECKS can provide our outstanding product to almost any construction project.

We understand the unique set of challenges that High-Rise construction presents and our design is backed up by our extensive experience in such working environments.



The perfect access solution when working with cranes

From providing generous payloads and usable space to ease of transport and a host of safety features, our crane decks are already proving themselves indispensable to all types of contractors and site managers that rely on cranes. With rear rollers for ease of use, and built-in safety harness points as standard, we are confident that our CRANE DECKS provide the most cost effective and efficient solution to working at heights.

When our CRANE DECKS are not in use or need to be transported they benefit from the ability to stack flat and interlock into each other for added site and in-transit safety.

Top Ten Reasons to choose CRANE DECKS

- Rear Rollers for ease of installation no extra equipment required
- Maximum Outboard of 5250mm one of the biggest outboards on the market
- Easy Push/Pull system
- Simple Locking system
- Built in adjustable props
- Conveniently located anchor points for safe use
- Stackable for storage and transport ease
- User Friendly can be operated by one person if necessary
- Can be customised to suit your projects requirements and has a range of accessories to fit
- Proudly Australian owned and manufactured















CRANE DECKS loading platforms for High-Rise construction Australia Wide

When working at heights is an everyday necessity for your business or project, you need an innovative solution that is safe, reliable, and easy to use. Our CRANE DECKS provide a cost-effective and flexible answer to all of these and many other issues that are unique to providing access to personnel and materials in high-rise working environments.

Our system lends itself well to situations involving crane hire facilities, on-going construction projects, plant maintenance and many other applications.











Our innovative CRANE DECKS

Our product represents a superb system that is cost effective and uncompromising in both quality and safety. It has been thoughtfully designed by a team that understands the demands of working at heights with CRANE DECKS platforms and other access equipment systems.

Our CRANE DECKS feature

- Rear rollers for ease of installation
- Harness anchor points
- Safe working loads of up to 5 Tonnes
- Vastly reduced overall costs on comparable products
- Locally manufactured and proudly Australian made













A wide range of choice

Whatever level or size of project you are working with, our range of CRANE DECKS offers the perfect match with your specific requirements.

Our 3 main CRANE DECK options are 2200, 2800, and 3200 and 4200, all with a SWL of up to 5000kg.

Further flexibility in 4 standard widths provides accessibility for a range of situations, with a maximum outboard of 5250mm.

We also provide a range of accessories that include:

- Hold down brackets
- Extended props
- Back Props

Supplied complete and ready to use

Safety locking access ramps, guard rails, and extending supports all come as standard, and the units have been innovatively designed to stack flat and interlock when not in use or during transport.

Call one of our helpful and friendly team now on 1300 DECKS 1 and discover how our CRANE DECKS can save you money and boost efficiency.




CRANE DECK 2200

COMME DICCHS	enone neeus
الصدا	1300 DECKS1


	4500mm Outboard	4750mm Outboard	5000mm Outboard	5250mm Outboard
SWL-UDL ((kg) 5000	4000	3200	2500
RA (t)	7.6	6.7	6	5.4
RB (t)	3.7	3.3	3	2.7
RC	0.0	0.0	0.0	0.0

Reaction on each side of the platform. Assumed load always centre both ways on the outboard of the platform. All loads are static loads. No load factors applied Horizontal force not taken into account.


Reactions provided based on rigid supports i.e. effects on deflections of supporting slabs not factored into design.



Side elevation - Retracted



Side Elevation - Fully Extended



Front Elevation 2200=2525kg



CRANE DECK 2800


COMME DECUS	enine decus
السيا	1300 DECKSI

	4500mm Outboard	4750mm Outboard	5000mm Outboard	5250mm Outboard
SWL-UDL (kg) 5000	4000	3200	2500
RA (t)	7.6	6.7	6	5.4
RB (t)	3.7	3.3	3	2.7
RC	0.0	0.0	0.0	0.0


Reaction on each side of the platform. Assumed load always centre both ways on the outboard of the platform. All loads are static loads. No load factors applied

Horizontal force not taken into account.


Reactions provided based on rigid supports i.e. effects on deflections of supporting slabs not factored into design.



Side elevation - Retracted



Side Elevation - Fully Extended



Front Elevation 2800=2705kg



CRANE DECK 3200


Chane DECHS	enne decus
	1300 DECKS1

	4500mm Outboard	4750mm Outboard	5000mm Outboard	5250mm Outboard
SWL-UDL	(kg) 5000	4000	3200	2500
RA (t)	7.6	6.7	6	5.4
RB (t)	3.7	3.3	3	2.7
RC	0.0	0.0	0.0	0.0


Reaction on each side of the platform. Assumed load always centre both ways on the outboard of the platform. All loads are static loads. No load factors applied

Horizontal force not taken into account.


Reactions provided based on rigid supports i.e. effects on deflections of supporting slabs not factored into design.



Side elevation - Retracted




Side Elevation - Fully Extended




Front Elevation 3200=2825kg



CRANE DECK TRANSPORTATION





To discuss your requirements, and realise the benefits of the Crane Deck Sytem, Contact us on: 1300 332 571 for more information.

All information stated on this specification sheet comes from relevant professional engineers engaged for the purpose of compliance with appropriate regulations. Crane Deck believes that all information stated on this specification sheet to be true and correct at the time of printing. Crane Deck accepts no responsibility for its accuracy and recommends pursuing your own sources for confirmation of stated details. Contact Crane Deck directly for any further information regarding this product. All loads are static loads i.e. no load factors applied. Horizontal forces are not taken into account.



SHYDECH

The ultimate goods cage to land onto your crane deck
















SKYDECK SPECIFICATION









Innovative and cost effective CRANE DECKS Australia Wide

Our product represents a superb system that is cost effective and uncompromising in both quality and safety. It has been thoughtfully designed by a team that understands the demands of working at heights with CRANE DECKS platforms and other access equipment systems.

Whatever task needs carrying out at heights, you can be certain that ease of access will result in both improved efficiency and more importantly, a safer working environment. The team here at CRANE DECKS takes all matters of safe and efficient working very seriously indeed. That is why we are proud to provide our range of Australian designed and manufactured CRANE DECKS.

With payloads from 2500 to 5000kg and a maximum outboard of up to 5250mm, we are confident that we have a unit that is ideal for your project. Built-in harness points, locking tail-ramps, and rear rollers are all features that we have included to make our clients lives easier and more productive.

If you have been searching for a cost-effective solution to the problem of hi-rise working, you can relax because our CRANE DECKS will provide exactly what the job requires.

Telephone:

1300 DECKS 1 1300 332 571

Email:

admin@cranedecks.com.au

Address:

49 – 51 Governor Macquarie Drive, Chipping Norton NSW 2170

Opening hours: 8am – 5pm (Mon-Fri)

Areas serviced:
Sydney and the surrounding areas

